

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandra, Virginia 22313-1450 www.webjo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/559,969	04/18/2006	Stephanie Edmunds	RN03078	6436
7590 08/29/2008 Rhodia Inc.			EXAMINER	
Legal Department			HRUSKOCI, PETER A	
CN 7500 8 CEDAR BR	OOK DRIVE		ART UNIT	PAPER NUMBER
CRANBURY, NJ 08512			1797	
			MAIL DATE	DELIVERY MODE
			08/29/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Application No. Applicant(s) 10/559,969 EDMUNDS ET AL. Office Action Summary Examiner Art Unit /Peter A. Hruskoci/ 1797 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 12/8/05, 4/16/06, and 8/15/08. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 33-51 is/are pending in the application. 4a) Of the above claim(s) _____ is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) 33-51 is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) _____ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on is/are; a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abevance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. Attachment(s) 1) Notice of References Cited (PTO-892) 4) Interview Summary (PTO-413)

Notice of Draftsperson's Patent Drawing Review (PTO-948)

Imformation Disclosure Statement(s) (PTC/S5/08)
Paper No(s)/Mail Date ______.

Paper No(s)/Mail Date.

6) Other:

Notice of Informal Patent Application

Application/Control Number: 10/559.969

Art Unit: 1797

Claims 33-51 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. In claim 33 "R'and R"" appears to be erroneous, and should be changed to - R' and R"-. In claims 34-36 "log reduction" lacks clear antecedent basis. Between claims 37 and 38 "6.(New)...step(a)" appears to be erroneous. In claims 43-46 "optionally" is vague and indefinite because it is unclear how this term further limits the claims. Claims 37-42 and 47-51 depend from the above claims.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 33-51 are rejected under 35 U.S.C. 103(a) as being unpatentable over Angell et al. 5,422,015 in view of Bryan et al. 5,385,896. Angell et al. disclose (see col. 2 line 1 through col. 7 line 32) a method of treating sewage sludge to reduce the pathogen content substantially as claimed. The claims differ from Angell et al. by reciting a step for adding a specific phosphorus-containing compounds to the sludge. Bryan et al. disclose (see col. 1 line 11 through col. 3 line 62) that it is known in the art to utilize the recited phosphorous-containing compounds as biocides for treating aerobic and anaerobic water systems. It would have been obvious to one skilled in the art to modify the method of Angell et al. by adding the recited phosphorus-containing compounds in view of the teachings of Bryan et al., to aid in disinfecting the sludge. The specific reduction produced, amounts added, and time periods utilized, would have been an

Application/Control Number: 10/559,969

Art Unit: 1797

obvious matter of process optimization to one skilled in the art, depending on the specific sludge treated and results desired, absent a sufficient showing of unexpected results.

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., In re Berg, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); In re Coodman, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1998); In re Longi, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); In re Van Ormum, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); In re Vogel, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and In re Thorington, 418 F.2d 528, 163 USPQ 645 (CCPA 1962).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January I, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 33-51 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 35-62 of copending Application No. 11/793,303, claims 37-63 of copending Application No. 11/630,604, and claims 43-58 of copending Application No. 10/559,970. Although the conflicting claims are not identical, they are not patentably distinct from each other because the method steps recited in the instant claims appear to be fully encompassed by the claims in the copending applications, respectively.

This is a <u>provisional</u> obviousness-type double patenting rejection because the conflicting claims have not in fact been patented. Furthermore, since the inventive entities of the above applications are different from the instant application but include common inventors, applicants

Application/Control Number: 10/559,969

Art Unit: 1797

should provide evidence that the instant invention and the inventions of the copending applications were commonly owned at the time the instant invention was made.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure

Any inquiry concerning this communication or earlier communications from the examiner should be directed to /Peter A. Hruskoci/ whose telephone number is (571) 272-1160. The examiner can normally be reached on Monday through Friday from 8:00AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Duane Smith can be reached on (571) 272-1166. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Peter A. Hruskoci/ Primary Examiner Art Unit 1797 Application/Control Number: 10/559,969

Page 5

Art Unit: 1797